# **CR© SmartWasher**® P r o d u c t g u i d e



# **BE SAFE BE SMART** PROTECT YOUR TEAM AND THE ENVIRONMENT

The CRC SmartWasher<sup>®</sup> is a bioremediating parts washing system designed to clean dirty equipment parts during repair and maintenance operations - safely. The system combines 3 essential components – the SmartWasher<sup>®</sup> parts washer, the OzzyJuice<sup>®</sup> cleaning fluid, and the OzzyMat<sup>®</sup> filter that contains a proprietary blend of microbes.

The SmartWasher<sup>®</sup> heats and circulates the OzzyJuice<sup>®</sup> and the OzzyJuice<sup>®</sup> cleans the parts. The OzzyMat<sup>®</sup> releases the microbes into the cleaning fluid to break down and eat oil, grease and carbon-based contaminants, creating a self-cleaning system that does not generate hazardous waste.

The SmartWasher® system harnesses the power of nature to deliver exceptional cleaning performance while also eliminating the need to handle or dispose of hazardous waste, making it a safer choice over manual solvent or aqueous-based parts washers.

## **WHAT IS BIOREMEDIATION?**



# **THE PERFORMANCE ADVANTAGE**

It works! CRC SmartWasher® is effective, even on the toughest carbon, grease, gunk and oils.





#### **Exceptional Cleaning Power**

Vleets or exceeds the cleaning performance of manual solvent and aqueous parts washers



#### Self-Cleaning Solution The bioremediation process keeps th fluid clean and ready to use



### Mobile Options

Save time by bringing the washer to the parts instead of the parts to the washer

# **THE COST ADVANTAGE**

When you compare traditional parts washers against the CRC SmartWasher®, the savings are clear.



Less Spending No ongoing purchase of solvent cleaners

Minimized Waste No changing or hauling away of cleaning fluid

No Contracts Eliminates hazardous waste removal contracts

#### Lower Liability No cradle to grave legal liabi



# THE SAFETY ADVANTAGE



A CRC SmartWasher<sup>®</sup> delivers exceptional cleaning without any of the health risks associated with solvent and aqueous-based parts washers. It's safer for you and for the environment.



**Bioremediating Microbes** Naturally Occurring and Non-Pathogenia



OzzyJuice<sup>®</sup> Cleaning Fluids Non-Irritating and Environmentally-Friendly



Safer For Employees Non-flammable & No Contact with Harmful Solvents



Safer for the Environment No Hazardous Waste



#### **FLEXIBLE TAP**

Bendable design allows user to aim fluid stream directly at greasy, dirty parts.



#### THE OZZYMAT<sup>®</sup> The microbe-infused mat

traps particulate matter larger than 50 microns. It is disposable and easy to change. The microbes in the mat are activated when used with OzzyJuice<sup>®</sup>. Change mat every 30 days for optimal performance.

#### **RECIRCULATING PUMP**

Sump action recirculates system fluid and microbes through machine.

#### **INDUSTRIAL HEATER**

Built-in heater keeps fluid at a comfortable 40°C. The heat can also be set to 46°C.



#### FLOW-THROUGH BRUSH

Scrub away grease and oil with the durable brush.



#### PUMP CONTROL TIMER System is

equipped with a timer that automatically stops fluid flow after a set time of 10 or 30 minutes.

# **THE SMARTWASHER RANGE**

SmartWasher® ships completely assembled. Starter kits available with OzzyMats® and OzzyJuice®.

### **SW-23 MOBILE PARTS WASHER**

SW-23 - Fits every application with its unique design, large sink size, mobility and amazing features. It includes an extra long angled brush/hose for those hard to reach places and a customised dolly with a footstep that makes it really easy to move around.

Overall Dimensions	1092mm (L) x 686mm (W) x 1067mm (H)		
Inside Sink Dimensions	686mm (L) x 584mm (W) x 203mm (H)		
Capacity	60 L		
Load Capacity 180 kg			
Parts Washer Structure	Heavy-Duty HDPE		
Controls	Toggle Switch		
Pump Capacity	19 L per minute		
Adjustable Thermostat	40 to 46°c		
Flow Control Timer	10 Minutes		
Certified	CE, NSF		
Initial Fill	60 L		

### SW-23 OPTIONAL STARTUP KIT



CRC

martWashe

ONTAINS	CRC CODE	CRC DESCRIPTION			
	32944	SW-23 MOBILE PARTS & BRAKE WASHER	0 cm3 SmartWasher	SmartWasher	E SmartWasher
1 x SW-23 SmartWasher®,	32965-AC	STARTER KIT SW-23 / SW-1 / FL-4		ξSW-6	SW-X1
x OzzyJuice® 20L,	32965-AA	STARTER KIT SW-23 / SW-3 / FL-4	Result of the second se	Andrew Commentation Provided States	
1 x FL-4 OzzyMat™	32965-AB	STARTER KIT SW-23 / SW-6 / FL-4			
	32965-AD	STARTER KIT SW-23 / SW-X1 / FL-4			

### **SW-37 HEAVYWEIGHT PARTS WASHER**

SW-37 - Tough enough for the big jobs, it has an enormous 454 kg load capacity, moves easily through the workshop area on a mobile dolly or can stay in one place with locking casters and provides a large, oversized sink to accommodate large and small parts.

Overall Dimensions	1219mm (L) x 889mm (W) x 1143mm (H)	
Inside Sink Dimensions	838mm (L) x 685mm (W) x 203mm (H)	
Capacity	100 L	
Load Capacity	454 kg	
Parts Washer Structure	Heavy-Duty HDPE	
Controls	Toggle Switch	
Pump Capacity	19 L per minute	
Adjustable Thermostat	40 to 46°c	
Flow Control Timer	10 Minutes	
Certified	CE, NSF	
Initial Fill	100 L	

### SW-37 OPTIONAL STARTUP KIT

CONTAINS	CRC CODE	CRC DESCRIPTION			
	32947	SW-37 MOBILE HEAVY WEIGHT PARTS WASHER	1 Cons SmortWasher	asher	IC SmartWasher
1 x SW-37 SmartWasher®,	32968-AC	STARTER KIT SW-37 / SW-1 / FL-4	SW-1 SW	-3 5 SW-0	SW-X1
5 x OzzyJuice® 20L,	332968-AA	STARTER KIT SW-37 / SW-3 / FL-4		And	
1 x FL-4 OzzyMat™	32968-AB	STARTER KIT SW-37 / SW-6 / FL-4			
	32968-AD	STARTER KIT SW-37 / SW-X1 / FL-4			

### **SW-25 SIGNATURE PARTS WASHER**

SW-25 - Fits every budget and has everything you need in a manual parts washer and then some: toggle switch controls, a flow control timer, adjustable thermostat, and a super capacity pump.

Overall Dimensions	1991mm (L) x 737mm (W) x 1016mm (H)
Inside Sink Dimensions	660mm (L) x 432mm (W) x 203mm (H)
Capacity	100 L
Load Capacity	227 kg
Parts Washer Structure	Heavy-Duty HDPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°c
Flow Control Timer	10 Minutes
Certified	CE, NSF
Initial Fill	100 L



#### SW-25 OPTIONAL STARTUP KIT

CONTAINS	CRC CODE	CRC DESCRIPTION			
	32945	SW-25 SIGNATURE PARTS WASHER		Constant Washer	TR: SmartWasher
1 x SW-25 SmartWasher®,	32966-AC	STARTER KIT SW-25 / SW-1 / FL-4		js SW-b	SW-X1
5 x OzzyJuice® 20L,	32966-AA	STARTER KIT SW-25 / SW-3 / FL-4	A constraint of the second sec		
1 x FL-4 OzzyMat™	32966-AB	STARTER KIT SW-25 / SW-6 / FL-4			
	32966-AD	STARTER KIT SW-25 / SW-X1 / FL-4		Construction, Construction (Construction)	

### **SW-28 SUPERSINK PARTS WASHER**

SW-28 - Bigger is better with the SuperSink Parts Washer. This model is loaded with features and includes an extra large work surface for all jobs, large and small. A second brush allows two people to work at the same time.

Overall Dimensions	1194mm (L) x 965mm (W) x 1067mm (H)
Inside Sink Dimensions	1041 mm (L) x 660mm (W) x 203mm (H)
Capacity	100 L
Load Capacity	227 kg
Parts Washer Structure	Heavy-Duty HDPE
Controls	Toggle Switch
Pump Capacity	19 L per minute
Adjustable Thermostat	40 to 46°c
Flow Control Timer	10 Minutes
Certified	CE, NSF
Initial Fill	100 L

### **SW-28 OPTIONAL STARTUP KIT**

CONTAINS	CRC CODE	CRC DESCRIPTION			
	32946	SW-28 SUPERSINK PARTS WASHER		g Construction SmartWasher	T SmartWasher
1 x SW-28 SmartWasher®, 5 x OzzyJuice® 20L, 1 x FL-4 OzzyMat™	32967-AC	STARTER KIT SW-28SW-1 FL-4	i SW-1	3 SW-6	
	32967-AA	STARTER KIT SW-28 SW-4 FL-4	Rest Head and the second		
	32967-AB	STARTER KIT SW-28 SW-6.8 FL-4			
	32967-AD	STARTER KIT SW-28 SW-X1 FL-4			

### FOR USE IN MANY DIFFERENT INDUSTRIES

















# **THE SMARTWASHER RANGE OVERVIEW**







	<b>SW-23</b> Mobile Parts/Brake Washer	<b>SW-25</b> Signature Parts Washer	<b>SW-28</b> SuperSink Parts Washer	<b>SW-37</b> Mobile Heavyweight Parts Washer
Heavy-Duty HDPE Construction	•	٠	•	•
Electric Operated Pump (19L/min)	•	•	•	•
Adjustable Thermostat (40 to 46°C)	•	٠	•	•
Toggle Switch Controls	•	•	•	•
On-Board Diagnostics	•	٠	•	•
Flow Control Timer	•	•	•	•
Two Brush Stations*			•	
Dolly	•			•
Detachable Control Box				•
Up to 180kg Load Capacity	•			
Up to 227kg Load Capacity		٠	•	
Up to 454kg Load Capacity				•
Certified: CE, NSF	•	•	•	•

\*Optional Two Brush Station Available

## **POWERFUL AND EFFICIENT CLEANING**





# **OZZYJUICE® DEGREASING/CLEANING SOLUTION**

### **OZZYMAT® FL-4 MULTI-LAYER OZZYMAT®**

Designed for applications with normal to heavy usage, the FL-4 Multi-Layer OzzyMat® has (4) white layers and (1) blue layer. The white layers on the mat trap any particulate larger than 50 microns and should be peeled away once a week for optimum performance. The blue layer is the support structure that contains the microbes (Ozzy®) and delivers them into the system. These microbes (Ozzy®) migrate from the OzzyMat® into the OzzyJuice®, located in the SmartWasher® tank, and break down oil and grease.





#### WHAT IS OZZYJUICE®?

OzzyJuice® is a powerful, aqueous-based degreasing/cleaning solution that is pH-neutral, non-irritating, non-flammable, and non-hazardous. Armed with superior cleaning capability, OzzyJuice® solutions will match or surpass the performance of premium solvents without the associated risks.

# OZZY® MICROBES KEEP THE OZZYJUICE® CLEAN AND STRONG.

Microbes (Ozzy<sup>®</sup>), introduced into the SmartWasher<sup>®</sup> system through the OzzyMat<sup>®</sup>, eat the grease, oil and other contaminants, creating the harmless by-products of carbon dioxide and water.

#### **CLEAN OZZYJUICE® MEANS CLEAN PARTS.**

The OzzyJuice® degreasing/cleaning solution cleans dirty parts and the Ozzy<sup>®</sup> microbes clean the OzzyJuice®, leaving it strong and clean for every use. If the unit is maintained according to the operating instructions, you should never need to haul away dirty cleaning fluid again.

CRC CODE	DESCRIPTION
33326	SW-1 Degreasing Solution – 20 Litre Pail
32948	SW-3 Truck Grade Degreasing Solution - 20 Litre Pail
32949	SW-6 Select Metals Degreasing Solution - 20 Litre Pail
33327	SW-X1 HD Degreasing Solution – 20 Litre Pail

Instruct	nstructions, you should never need to haul away dirty cleaning fluid again.							
O	ZZYJUICE DEGREASING/ CLEANING SOLUTIONS		Construction of the second sec	The second secon				
	APPLICATION	DEGREASING SOLUTION	TRUCK GRADE DEGREASING SOLUTION	SELECT METALS DEGREASING SOLUTION	HIGH-PERFORMANCE DEGREASING SOLUTION			
	20 Litre Pail	33326	32948	32949	33327			
	NSF A1	163229	161215	161319				
	Crude Oil	excellent	excellent	good	superior			
	Hydraulic Trans. Fluid	excellent	excellent	excellent	superior			
	Motor Oil	excellent	excellent	excellent	superior			
	Solder & Flux	excellent	good	good	superior			
Ŕ	Bearing Grease	good	excellent	good	superior			
É	Automotive Grease	good	excellent	excellent	superior			
누	Resin Products	good	excellent	excellent	superior			
A	Fifth Wheel Grease	good	excellent	good	superior			
€	Creosote	excellent	excellent	good	superior			
A	Impacted Grease	good	excellent	good	superior			
E	Animal Fat	good	excellent	fair	excellent			
CONTAMINANT TYPE	Automotive Varnish	excellent	good	good	superior			
Ŭ	Burned-On Carbon	excellent	good	good	superior			
	Cutting Oils	excellent	good	good	superior			
	Ink/Toner	excellent	fair	good	good			
	Asphalt	good	good	fair	good			



**CRC Industries Europe** Touwslagerstraat 1 9240 Zele - Belgium

www.smartwasher.com SmartWasherEU@crcind.com